Inorganic compounds

Test medium **4. Halogens**	Chemical formula	Concentration %	temperature °C	pressure (bar)	carbon graphite, not inpregnated	graphite, not inpregnated	carbon graphite, resin impregnated	graphite, resin impregnated	resin bonded carbon	carbon graphite and graphite, antimony impregnated	carbon graphite and graphite, lead impregnated	carbon graphite and graphite, copper impregnated
Bromine, liquid	Br_2	ca. 99,6	20	-	o	-	-	-	-	-	-	-
Chlorine, liquid	Cl_2	99,9	20	ca. 7,6	+	+	+	+	-	-	-	o
Chlorine water	$H_2O + Cl_2$	3,7 g Cl_2/l	25	-	+	+	+	+	+	+	+	+
Chlorine water	$H_2O + Cl_2$	1,73 g Cl_2/l	50	-	o	+	+	+	o	o	-	o
Chlorine water	$H_2O + Cl_2$	1,73 g Cl_2/l	80	-	o	o	+	+	o	o	-	-

resistant o partially resistant - not resistar